

IFW

FIRST CLASS MAIL CERTIFICATE

I hereby certify that this correspondence is being deposited with the United States Postal Service as **FIRST CLASS** mail in an envelope addressed to: **Commissioner of Patents and Trademarks, Washington, D.C., 20231**, on August 11, 2004. I have been warned that willful false statements and the like are punishable by fine or imprisonment, or both (18 U.S.C. 1001), and may jeopardize the validity of this application, document, registration or patent resulting therefrom.

Vicky Prendes

235 S.W. Le Jeune Road, Miami, FL 33134

Signature of person mailing paper(s) or fee

U.S. Patent and Trademark Office
Attn. Official Draftsperson
P.O. Box 1450
Alexandria, VA 22313-1450

Re: "POOL CLEANER CONTROL DEVICE"

Serial No. 10/765,333

Filing Date: January 28, 2004

Applicant: Abelardo Caraballo

Atty. Dkt. No. 230376

Hon. Official Draftsperson:

Enclosed please find the corrected formal drawings as requested in the Notice of Allowability and Notice of Draftsperson's Patent Drawing Review and/or Examiner Amendment.

Please notify us of any other outstanding matter.

Also, please acknowledge receipt of the above by stamping the enclosed self-addressed, postage-paid card and returning it to our office.


Sincerely,

Vicky Prendes, Patent Department
Sanchelima & Associates, P.A.

file: PDrwCorrects-PTO/1stClsMailCert

JS/vp

Encl: Corrected drawings, copy of Not.Allow., copy of Examiner's amendment and postcard.



Notice of Allowability

Application No.

10/765,333

Examiner

Fred Prince

Applicant(s)

CARABALLO, ABELARDO

Art Unit

1724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to January 28, 2004.
2. ☒ The allowed claim(s) is/are 1-5.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 0704.
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Fred Prince
Fred Prince
Primary Examiner
Art Unit: 1724

7/9/04

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jesus Sanchelima on July 8, 2004.

The application has been amended as follows:

In the Specification, on page 7, line 27, "Shimmers" has been changed to --Skimmers--.

In the Claims - Claim 1, on page 10, line 20, "the water displace form" has been changed to --water displaced from--.

Claim 1, on page 10, line 21, "said" has been replaced by --a-- prior to "cutout".

Claim 4, on page 12, line 28, "the water displace form" has been changed to --water displaced from--.

Claim 4, on page 13, line 1, "said" has been replaced by --a-- prior to "cutout".

2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: In Fig. 2, the water region under piston 60 has been changed

Art Unit: 1724

from "43" to --43'--. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

3. The following is an examiner's statement of reasons for allowance:

While it is known in the art to provide a pool cleaner device including a skimmer assembly with a filter basket, a cover over the filter basket, the cover having two inlets and a valve including a piston, and a suction pump (see US Pat No 5,581,826 to Edwards or US Pat No 4,776,953 to Frentzel), in the examiner's opinion, the prior art fails to teach or fairly suggest the device having recited positioning and operational elements as recited in claims 1 and 4, respectively. The instant invention provides the advantage of permitting a user to switch from two active ports or inlets and process water from two different areas.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Fred Prince whose telephone number is (571) 272-1165. The examiner can normally be reached on Monday-Thursday, 6:30-4:00; alt. Fridays 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on (571) 272-1166. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1724

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Fred Prince
Primary Examiner
Art Unit 1724

fgp
7/9/04